

TRC REVIEW CHECKLIST

TOWN OF ANGIER PLANNING

55 N. Broad Street W (Phys) P.O. Box 278 (Mail) Angier, NC 27501

Phone: (919) 331-6702 Fax: (919) 639-6130

Contact:

Project Name:

Telephone: Email:				
Plan/Plat Review	Correct	Incorrect	N/A	
Name of Project & Date (Including all Revision Dates)				
Applicant/Owner(s) Contact Information (Name, Address, & Phone)				
Surveyor/Engineer Contact Information (Name, Address, & Phone)				
Parcel ID Number/Tax ID of Tract(s)				
Deed Reference of Tract(s)				
Zoning Classification of Tract(s)				
Location (Including Township, County, & State)				
Flood Plain Depicted & Noted (Zone, Map Number, & Effective Date)				

Watershed District Noted & Extent of Coverage Depicted Land Use Classification of Tract(s) Map Size 18" X 24" & Scale 1"=200' or Larger North Point, Graphic Scale, & Vicinity Map П Name(s) & Location(s) of Adjacent Property Owner(s) & Use(s) П П П Existing Boundaries of Tract(s) Showing Bearings & Distances П П Gross Acreage of Development Name(s) & Right(s)-of-way of Streets & State Road Number(s), Including Notation of Public or Private Name, Location, Width, & Acreage of Additional Easement(s) & П П П Right(s)-of-way Within or Adjacent to Site Building Envelope & Required Setbacks П П П Existing & Proposed Utilities П П Signage Location, Easement, Type, & Size П П П Thoroughfare Plan Notation Existing Structure(s) Located on Site Wetlands Delineated П П Easements, Open Space, Landscape Buffers, & Areas Other with П П П Explanation of Purpose & Maintenance Responsibility Total Number of Lots Proposed Individual Lot Dimensions

Net Acreage for Each Lot

Lot Lines & Building Lines Showing Bearings & Distances

Minimum Lot Size & Width			
Lot & Block Numbers in Consecutive Order			
Linear Feet per Street (Note Either Public or Private)			
Cul-De-Sac Diameter			
Fire Hydrant(s) & Street Light(s) Depicted			
Topography (Max Contour Levels of 5')			
Natural Feature(s) Located on Site	П		
Name(s) & Location(s) of Property or Building on the National	П	П	
Register of Historic Places or Locally Designated Historic Property	_	_	_
Preliminary Soils Report Provided			
Open Space Calculations & Totals Noted			
All Required Amenities Shown; Including Typicals			
Foundation Survey Requirement Noted			
Detailed Description of Recreational Facilities if Provided			
Total Number of Lots Proposed			
Individual Lot Dimensions			
Net Acreage for Each Lot			
Lot Lines & Building Lines Showing Bearings & Distances			
Minimum Lot Size & Width			
Lot & Block Numbers in Consecutive Order	П	П	П
Fire Hydrant(s) & Street Light(s) Noted	П		
Verification of Purchase of Road Signs			
Homeowners Association Bylaws & Covenants to be Imposed			
HOA Documents Reference All Improvements to be Maintained			
Open Space Calculations & Totals Noted			
All Required Amenities Shown; Including Typicals			
Foundation Survey Requirement Noted			
	1 1 1		
Touridation Survey Requirement Noted	Ш	Ш	
		П	_
Topography (Max Contour Levels of 5')			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, &			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility)			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility Proposed Storm Water Management Plan			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility Proposed Storm Water Management Plan Storm Water Management Plan Calculations			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility Proposed Storm Water Management Plan Storm Water Management Plan Calculations Angier Technical Review Committee			
Topography (Max Contour Levels of 5') Fire Hydrant(s) & Street Light(s) Noted Erosion Control Plan Submitted Hours & Days of Operation Impervious Surface (% Coverage of Lot) Hazardous Materials to be Stored on Site Existing & Proposed Mechanical Areas Existing & Proposed Trash Containment Areas Existing & Proposed Utility Areas Parking Lot Material & Space Typical All parking areas on site (Based on Type of Business and/or Sq. Ft.) Existing & Proposed Fencing, Screening, Gate(s) and/or Dock(s) Spillage & Pollution Prevention & Response Methods Verification of Purchase of Road Signs Buffering Regulations (Per Angier UDO Chapter 7) Streetscape Buffer (Required Width, Landscaping Type, & Maintenance Responsibility) Drainage Easement(s) & Maintenance Responsibility Proposed Storm Water Management Plan Storm Water Management Plan Calculations			

Ownership, Dedication, & Jurisdiction		
Professional North Carolina Land Surveyor or Engineer		
NCDOT (Driveway Permit Approval)		
Drainage Easements are Stabilized Without Possible Erosion		
Fire Hydrants Installed where 6" Public Water Lines Exist		
Improvements Installed in Accordance with Preliminary Plat		
Necessary Buffering is in Place or Security has Been Guaranteed		
Street Lights Installed Every 300'		
Streets Installed in Accordance with DOT Standards		
All Required Amenities Installed (EX- Street Trees, Sidewalks, Etc.)		
All Review Fees Paid		

Ballot REVIEWER:	Date:
COMMENTS:	

SHORT TERM:

LONGE RANGE: